




FINEX Panel Aluminum Filter

Application	: Pharma, Food, Beverage, Electronic Industries, Hospital, LAF
Pleat Technology	: Mini Pleat
Media	: High quality Fiberglass
Frame	: Aluminium,
Gasket	: Polyurethane, EPDM
Separator	: Hot Melt Technology
Rh max	: 95%
Tmax (Working)	: 75°C
Tmax	: 80°C - 120°C
Filtration Efficiency	: M5, M6, F7, F8, F9 @ EN 779, ISO 16890
Frame Depth	: 32mm, 66mm, 69mm, 78mm, 90mm, 110mm, 117mm, 125mm, 150mm



APC CODE CHART



Code	Description
PA	Panel Aluminium
PG	Panel Galvanized
PM	Panel MDF
PP	Panel Plastic
F	Fiber Glass
FR	Flame Retardant
EX	Conductive / Dissipative Media
PH	Pleat Height
WR	Water Repellent
HT	High Temperature

Code	Description
FNA	Without Faceguard
FGU	Face Guard Upstream
FGD	Face Guard Downstream
FGB	Face Guard Bothside
GN	Without Gasket
GPU	Gasket Polyurethane Upstream
GPB	Gasket Polyurethane on Both Side
GEU	Gasket EPDM Upstream
GEB	Gasket EPDM on Both Side
GECU	Gasket EPDM Continuous Upstream
GECB	Gasket EPDM Continuous on Both Side

FINEX Panel Aluminum Filter

Aluminum Frame Height: 32 mm / Pleat Height: 20 mm

Filter Code	EN 779	ISO 16890	Width	Height	Depth	Filtration Area	Pleat Height	Pressure Loss
PA-F-M5-305x305x32-GED-FGB-PH20	M5	ePM10 60%	305 mm	305 mm	32 mm	1,1 m ²	20 mm	300 m ³ /h @ 50 Pa
PA-F-M5-305x610x32-GED-FGB-PH20	M5	ePM10 60%	305 mm	610 mm	32 mm	2,2 m ²	20 mm	600 m ³ /h @ 50 Pa
PA-F-M5-457x457x32-GED-FGB-PH20	M5	ePM10 60%	457 mm	457 mm	32 mm	2,5 m ²	20 mm	650 m ³ /h @ 50 Pa
PA-F-M5-457x610x32-GED-FGB-PH20	M5	ePM10 60%	457 mm	610 mm	32 mm	3,3 m ²	20 mm	850 m ³ /h @ 50 Pa
PA-F-M5-535x535x32-GED-FGB-PH20	M5	ePM10 60%	535 mm	535 mm	32 mm	3,4 m ²	20 mm	900 m ³ /h @ 50 Pa
PA-F-M5-575x575x32-GED-FGB-PH20	M5	ePM10 60%	575 mm	575 mm	32 mm	4,0 m ²	20 mm	1.050 m ³ /h @ 50 Pa
PA-F-M5-610x610x32-GED-FGB-PH20	M5	ePM10 60%	610 mm	610 mm	32 mm	4,5 m ²	20 mm	1.200 m ³ /h @ 50 Pa
PA-F-M5-610x762x32-GED-FGB-PH20	M5	ePM10 60%	610 mm	762 mm	32 mm	5,6 m ²	20 mm	1.500 m ³ /h @ 50 Pa
PA-F-M5-610x915x32-GED-FGB-PH20	M5	ePM10 60%	610 mm	915 mm	32 mm	6,7 m ²	20 mm	1.800 m ³ /h @ 50 Pa
PA-F-M5-762x762x32-GED-FGB-PH20	M5	ePM10 60%	762 mm	762 mm	32 mm	7,0 m ²	20 mm	1.900 m ³ /h @ 50 Pa
PA-F-M5-915x915x32-GED-FGB-PH20	M5	ePM10 60%	915 mm	915 mm	32 mm	10,2 m ²	20 mm	2.750 m ³ /h @ 50 Pa
PA-F-M5-610x1220x32-GED-FGB-PH20	M5	ePM10 60%	610 mm	1220 mm	32 mm	9,0 m ²	20 mm	2.400 m ³ /h @ 50 Pa
PA-F-F7-305x305x32-GED-FGB-PH20	F7	ePM1 55%	305 mm	305 mm	32 mm	1,1 m ²	20 mm	300 m ³ /h @ 80 Pa
PA-F-F7-305x610x32-GED-FGB-PH20	F7	ePM1 55%	305 mm	610 mm	32 mm	2,2 m ²	20 mm	600 m ³ /h @ 80 Pa
PA-F-F7-457x457x32-GED-FGB-PH20	F7	ePM1 55%	457 mm	457 mm	32 mm	2,5 m ²	20 mm	650 m ³ /h @ 80 Pa
PA-F-F7-457x610x32-GED-FGB-PH20	F7	ePM1 55%	457 mm	610 mm	32 mm	3,3 m ²	20 mm	850 m ³ /h @ 80 Pa
PA-F-F7-535x535x32-GED-FGB-PH20	F7	ePM1 55%	535 mm	535 mm	32 mm	3,4 m ²	20 mm	900 m ³ /h @ 80 Pa
PA-F-F7-575x575x32-GED-FGB-PH20	F7	ePM1 55%	575 mm	575 mm	32 mm	4,0 m ²	20 mm	1.050 m ³ /h @ 80 Pa
PA-F-F7-610x610x32-GED-FGB-PH20	F7	ePM1 55%	610 mm	610 mm	32 mm	4,5 m ²	20 mm	1.200 m ³ /h @ 80 Pa
PA-F-F7-610x762x32-GED-FGB-PH20	F7	ePM1 55%	610 mm	762 mm	32 mm	5,6 m ²	20 mm	1.500 m ³ /h @ 80 Pa
PA-F-F7-610x915x32-GED-FGB-PH20	F7	ePM1 55%	610 mm	915 mm	32 mm	6,7 m ²	20 mm	1.800 m ³ /h @ 80 Pa
PA-F-F7-762x762x32-GED-FGB-PH20	F7	ePM1 55%	762 mm	762 mm	32 mm	7,0 m ²	20 mm	1.900 m ³ /h @ 80 Pa
PA-F-F7-915x915x32-GED-FGB-PH20	F7	ePM1 55%	915 mm	915 mm	32 mm	10,2 m ²	20 mm	2.750 m ³ /h @ 80 Pa
PA-F-F7-610x1220x32-GED-FGB-PH20	F7	ePM1 55%	610 mm	1220 mm	32 mm	9,0 m ²	20 mm	2.400 m ³ /h @ 80 Pa
PA-F-F9-305x305x32-GED-FGD-PH20	F9	ePM1 80%	305 mm	305 mm	32 mm	1,1 m ²	20 mm	300 m ³ /h @ 140 Pa
PA-F-F9-305x610x32-GED-FGD-PH20	F9	ePM1 80%	305 mm	610 mm	32 mm	2,2 m ²	20 mm	600 m ³ /h @ 140 Pa
PA-F-F9-457x457x32-GED-FGD-PH20	F9	ePM1 80%	457 mm	457 mm	32 mm	2,5 m ²	20 mm	650 m ³ /h @ 140 Pa
PA-F-F9-457x610x32-GED-FGD-PH20	F9	ePM1 80%	457 mm	610 mm	32 mm	3,3 m ²	20 mm	850 m ³ /h @ 140 Pa
PA-F-F9-535x535x32-GED-FGD-PH20	F9	ePM1 80%	535 mm	535 mm	32 mm	3,4 m ²	20 mm	900 m ³ /h @ 140 Pa
PA-F-F9-575x575x32-GED-FGD-PH20	F9	ePM1 80%	575 mm	575 mm	32 mm	4,0 m ²	20 mm	1.050 m ³ /h @ 140 Pa
PA-F-F9-610x610x32-GED-FGD-PH20	F9	ePM1 80%	610 mm	610 mm	32 mm	4,5 m ²	20 mm	1.200 m ³ /h @ 140 Pa
PA-F-F9-610x762x32-GED-FGD-PH20	F9	ePM1 80%	610 mm	762 mm	32 mm	5,6 m ²	20 mm	1.500 m ³ /h @ 140 Pa
PA-F-F9-610x915x32-GED-FGD-PH20	F9	ePM1 80%	610 mm	915 mm	32 mm	6,7 m ²	20 mm	1.800 m ³ /h @ 140 Pa
PA-F-F9-762x762x32-GED-FGB-PH20	F9	ePM1 80%	762 mm	762 mm	32 mm	7,0 m ²	20 mm	1.900 m ³ /h @ 140 Pa
PA-F-F9-915x915x32-GED-FGB-PH20	F9	ePM1 80%	915 mm	915 mm	32 mm	10,2 m ²	20 mm	2.750 m ³ /h @ 140 Pa
PA-F-F9-610x1220x32-GED-FGB-PH20	F9	ePM1 80%	610 mm	1220 mm	32 mm	9,0 m ²	20 mm	2.400 m ³ /h @ 140 Pa

FINEX Panel Aluminum Filter

Aluminum Frame Height: 66 mm / Pleat Height: 50 mm

Filter Code	EN 779	ISO 16890	Width	Height	Depth	Filtration Area	Pleat Height	Pressure Loss
PA-F-M5-305x305x66-GED-FGB-PH50	M5	ePM10 60%	305 mm	305 mm	66 mm	2,7 m ²	50 mm	900 m ³ /h @ 70 Pa
PA-F-M5-305x610x66-GED-FGB-PH50	M5	ePM10 60%	305 mm	610 mm	66 mm	5,4 m ²	50 mm	1.800 m ³ /h @ 70 Pa
PA-F-M5-457x457x66-GED-FGB-PH50	M5	ePM10 60%	457 mm	457 mm	66 mm	6,2 m ²	50 mm	2.100 m ³ /h @ 70 Pa
PA-F-M5-457x610x66-GED-FGB-PH50	M5	ePM10 60%	457 mm	610 mm	66 mm	8,3 m ²	50 mm	2.750 m ³ /h @ 70 Pa
PA-F-M5-535x535x66-GED-FGB-PH50	M5	ePM10 60%	535 mm	535 mm	66 mm	8,5 m ²	50 mm	2.800 m ³ /h @ 70 Pa
PA-F-M5-575x575x66-GED-FGB-PH50	M5	ePM10 60%	575 mm	575 mm	66 mm	9,8 m ²	50 mm	3.250 m ³ /h @ 70 Pa
PA-F-M5-610x610x66-GED-FGB-PH50	M5	ePM10 60%	610 mm	610 mm	66 mm	11,1 m ²	50 mm	3.600 m ³ /h @ 70 Pa
PA-F-M5-610x762x66-GED-FGB-PH50	M5	ePM10 60%	610 mm	762 mm	66 mm	13,9 m ²	50 mm	4.600 m ³ /h @ 70 Pa
PA-F-M5-610x915x66-GED-FGB-PH50	M5	ePM10 60%	610 mm	915 mm	66 mm	16,8 m ²	50 mm	5.600 m ³ /h @ 70 Pa
PA-F-M5-762x762x66-GED-FGB-PH50	M5	ePM10 60%	762 mm	762 mm	66 mm	17,5 m ²	50 mm	5.800 m ³ /h @ 70 Pa
PA-F-M5-915x915x66-GED-FGB-PH50	M5	ePM10 60%	915 mm	915 mm	66 mm	25,4 m ²	50 mm	8.400 m ³ /h @ 70 Pa
PA-F-M5-610x1220x66-GED-FGB-PH50	M5	ePM10 60%	610 mm	1220 mm	66 mm	22,5 m ²	50 mm	7.500 m ³ /h @ 70 Pa
PA-F-H14-305x305x66-GED-FGB-PH50	F7	ePM1 55%	305 mm	305 mm	66 mm	2,7 m ²	50 mm	900 m ³ /h @ 90 Pa
PA-F-H14-305x610x66-GED-FGB-PH50	F7	ePM1 55%	305 mm	610 mm	66 mm	5,4 m ²	50 mm	1.800 m ³ /h @ 90 Pa
PA-F-H14-457x457x66-GED-FGB-PH50	F7	ePM1 55%	457 mm	457 mm	66 mm	6,2 m ²	50 mm	2.100 m ³ /h @ 90 Pa
PA-F-H14-457x610x66-GED-FGB-PH50	F7	ePM1 55%	457 mm	610 mm	66 mm	8,3 m ²	50 mm	2.750 m ³ /h @ 90 Pa
PA-F-H14-535x535x66-GED-FGB-PH50	F7	ePM1 55%	535 mm	535 mm	66 mm	8,5 m ²	50 mm	2.800 m ³ /h @ 90 Pa
PA-F-H14-575x575x66-GED-FGB-PH50	F7	ePM1 55%	575 mm	575 mm	66 mm	9,8 m ²	50 mm	3.250 m ³ /h @ 90 Pa
PA-F-H14-610x610x66-GED-FGB-PH50	F7	ePM1 55%	610 mm	610 mm	66 mm	11,1 m ²	50 mm	3.600 m ³ /h @ 90 Pa
PA-F-H14-610x762x66-GED-FGB-PH50	F7	ePM1 55%	610 mm	762 mm	66 mm	13,9 m ²	50 mm	4.600 m ³ /h @ 90 Pa
PA-F-H14-610x915x66-GED-FGB-PH50	F7	ePM1 55%	610 mm	915 mm	66 mm	16,8 m ²	50 mm	5.600 m ³ /h @ 90 Pa
PA-F-H14-762x762x66-GED-FGB-PH50	F7	ePM1 55%	762 mm	762 mm	66 mm	17,5 m ²	50 mm	5.800 m ³ /h @ 90 Pa
PA-F-H14-915x915x66-GED-FGB-PH50	F7	ePM1 55%	915 mm	915 mm	66 mm	25,4 m ²	50 mm	8.400 m ³ /h @ 90 Pa
PA-F-H14-610x1220x66-GED-FGB-PH50	F7	ePM1 55%	610 mm	1220 mm	66 mm	22,5 m ²	50 mm	7.500 m ³ /h @ 90 Pa
PA-F-F9-305x305x66-GED-FGD-PH50	F9	ePM1 80%	305 mm	305 mm	66 mm	2,7 m ²	50 mm	900 m ³ /h @ 140 Pa
PA-F-F9-305x610x66-GED-FGD-PH50	F9	ePM1 80%	305 mm	610 mm	66 mm	5,4 m ²	50 mm	1.800 m ³ /h @ 140 Pa
PA-F-F9-457x457x66-GED-FGD-PH50	F9	ePM1 80%	457 mm	457 mm	66 mm	6,2 m ²	50 mm	2.100 m ³ /h @ 140 Pa
PA-F-F9-457x610x32-GED-FGD-PH20	F9	ePM1 80%	457 mm	610 mm	66 mm	8,3 m ²	50 mm	2.750 m ³ /h @ 140 Pa
PA-F-F9-535x535x32-GED-FGD-PH20	F9	ePM1 80%	535 mm	535 mm	66 mm	8,5 m ²	50 mm	2.800 m ³ /h @ 140 Pa
PA-F-F9-575x575x32-GED-FGD-PH20	F9	ePM1 80%	575 mm	575 mm	66 mm	9,8 m ²	50 mm	3.250 m ³ /h @ 140 Pa
PA-F-F9-610x610x66-GED-FGD-PH50	F9	ePM1 80%	610 mm	610 mm	66 mm	11,1 m ²	50 mm	3.600 m ³ /h @ 140 Pa
PA-F-F9-610x762x66-GED-FGD-PH50	F9	ePM1 80%	610 mm	762 mm	66 mm	13,9 m ²	50 mm	4.600 m ³ /h @ 140 Pa
PA-F-F9-610x915x66-GED-FGD-PH50	F9	ePM1 80%	610 mm	915 mm	66 mm	16,8 m ²	50 mm	5.600 m ³ /h @ 140 Pa
PA-F-F9-762x762x66-GED-FGB-PH50	F9	ePM1 80%	762 mm	762 mm	66 mm	17,5 m ²	50 mm	5.800 m ³ /h @ 140 Pa
PA-F-F9-915x915x66-GED-FGB-PH50	F9	ePM1 80%	915 mm	915 mm	66 mm	25,4 m ²	50 mm	8.400 m ³ /h @ 140 Pa
PA-F-F9-610x1220x66-GED-FGB-PH50	F9	ePM1 80%	610 mm	1220 mm	66 mm	22,5 m ²	50 mm	7.500 m ³ /h @ 140 Pa

FINEX Panel Aluminum Filter

Aluminum Frame Height: 69 mm / Pleat Height: 50 mm

Filter Code	EN 779	ISO 16890	Width	Height	Depth	Filtration Area	Pleat Height	Pressure Loss
PA-F-M5-305x305x69-GED-FGB-PH50	M5	ePM10 60%	305 mm	305 mm	69 mm	2,7 m ²	50 mm	900 m ³ /h @ 70 Pa
PA-F-M5-305x610x69-GED-FGB-PH50	M5	ePM10 60%	305 mm	610 mm	69 mm	5,4 m ²	50 mm	1.800 m ³ /h @ 70 Pa
PA-F-M5-457x457x69-GED-FGB-PH50	M5	ePM10 60%	457 mm	457 mm	69 mm	6,2 m ²	50 mm	2.100 m ³ /h @ 70 Pa
PA-F-M5-457x610x69-GED-FGB-PH50	M5	ePM10 60%	457 mm	610 mm	69 mm	8,3 m ²	50 mm	2.750 m ³ /h @ 70 Pa
PA-F-M5-535x535x69-GED-FGB-PH50	M5	ePM10 60%	535 mm	535 mm	69 mm	8,5 m ²	50 mm	2.800 m ³ /h @ 70 Pa
PA-F-M5-575x575x69-GED-FGB-PH50	M5	ePM10 60%	575 mm	575 mm	69 mm	9,8 m ²	50 mm	3.250 m ³ /h @ 70 Pa
PA-F-M5-610x610x69-GED-FGB-PH50	M5	ePM10 60%	610 mm	610 mm	69 mm	11,1 m ²	50 mm	3.600 m ³ /h @ 70 Pa
PA-F-M5-610x762x69-GED-FGB-PH50	M5	ePM10 60%	610 mm	762 mm	69 mm	13,9 m ²	50 mm	4.600 m ³ /h @ 70 Pa
PA-F-M5-610x915x69-GED-FGB-PH50	M5	ePM10 60%	610 mm	915 mm	69 mm	16,8 m ²	50 mm	5.600 m ³ /h @ 70 Pa
PA-F-M5-762x762x69-GED-FGB-PH50	M5	ePM10 60%	762 mm	762 mm	69 mm	17,5 m ²	50 mm	5.800 m ³ /h @ 70 Pa
PA-F-M5-915x915x69-GED-FGB-PH50	M5	ePM10 60%	915 mm	915 mm	69 mm	25,4 m ²	50 mm	8.400 m ³ /h @ 70 Pa
PA-F-M5-610x1220x69-GED-FGB-PH50	M5	ePM10 60%	610 mm	1220 mm	69 mm	22,5 m ²	50 mm	7.500 m ³ /h @ 70 Pa
PA-F-F7-305x305x69-GED-FGB-PH50	F7	ePM1 55%	305 mm	305 mm	69 mm	2,7 m ²	50 mm	900 m ³ /h @ 90 Pa
PA-F-F7-305x610x69-GED-FGB-PH50	F7	ePM1 55%	305 mm	610 mm	69 mm	5,4 m ²	50 mm	1.800 m ³ /h @ 90 Pa
PA-F-F7-457x457x69-GED-FGB-PH50	F7	ePM1 55%	457 mm	457 mm	69 mm	6,2 m ²	50 mm	2.100 m ³ /h @ 90 Pa
PA-F-F7-457x610x69-GED-FGB-PH50	F7	ePM1 55%	457 mm	610 mm	69 mm	8,3 m ²	50 mm	2.750 m ³ /h @ 90 Pa
PA-F-F7-535x535x69-GED-FGB-PH50	F7	ePM1 55%	535 mm	535 mm	69 mm	8,5 m ²	50 mm	2.800 m ³ /h @ 90 Pa
PA-F-F7-575x575x69-GED-FGB-PH50	F7	ePM1 55%	575 mm	575 mm	69 mm	9,8 m ²	50 mm	3.250 m ³ /h @ 90 Pa
PA-F-F7-610x610x69-GED-FGB-PH50	F7	ePM1 55%	610 mm	610 mm	69 mm	11,1 m ²	50 mm	3.600 m ³ /h @ 90 Pa
PA-F-F7-610x762x69-GED-FGB-PH50	F7	ePM1 55%	610 mm	762 mm	69 mm	13,9 m ²	50 mm	4.600 m ³ /h @ 90 Pa
PA-F-F7-610x915x69-GED-FGB-PH50	F7	ePM1 55%	610 mm	915 mm	69 mm	16,8 m ²	50 mm	5.600 m ³ /h @ 90 Pa
PA-F-F7-762x762x69-GED-FGB-PH50	F7	ePM1 55%	762 mm	762 mm	69 mm	17,5 m ²	50 mm	5.800 m ³ /h @ 90 Pa
PA-F-F7-915x915x69-GED-FGB-PH50	F7	ePM1 55%	915 mm	915 mm	69 mm	25,4 m ²	50 mm	8.400 m ³ /h @ 90 Pa
PA-F-F7-610x1220x69-GED-FGB-PH50	F7	ePM1 55%	610 mm	1220 mm	69 mm	22,5 m ²	50 mm	7.500 m ³ /h @ 90 Pa
PA-F-F9-305x305x69-GED-FGD-PH50	F9	ePM1 80%	305 mm	305 mm	69 mm	2,7 m ²	50 mm	900 m ³ /h @ 140 Pa
PA-F-F9-305x610x69-GED-FGD-PH50	F9	ePM1 80%	305 mm	610 mm	69 mm	5,4 m ²	50 mm	1.800 m ³ /h @ 140 Pa
PA-F-F9-457x457x69-GED-FGD-PH50	F9	ePM1 80%	457 mm	457 mm	69 mm	6,2 m ²	50 mm	2.100 m ³ /h @ 140 Pa
PA-F-F9-457x610x32-GED-FGD-PH50	F9	ePM1 80%	457 mm	610 mm	66 mm	8,3 m ²	50 mm	2.750 m ³ /h @ 140 Pa
PA-F-F9-535x535x32-GED-FGD-PH50	F9	ePM1 80%	535 mm	535 mm	66 mm	8,5 m ²	50 mm	2.800 m ³ /h @ 140 Pa
PA-F-F9-575x575x32-GED-FGD-PH50	F9	ePM1 80%	575 mm	575 mm	66 mm	9,8 m ²	50 mm	3.250 m ³ /h @ 140 Pa
PA-F-F9-610x610x69-GED-FGD-PH50	F9	ePM1 80%	610 mm	610 mm	69 mm	11,1 m ²	50 mm	3.600 m ³ /h @ 140 Pa
PA-F-F9-610x762x69-GED-FGD-PH50	F9	ePM1 80%	610 mm	762 mm	69 mm	13,9 m ²	50 mm	4.600 m ³ /h @ 140 Pa
PA-F-F9-610x915x69-GED-FGD-PH50	F9	ePM1 80%	610 mm	915 mm	69 mm	16,8 m ²	50 mm	5.600 m ³ /h @ 140 Pa
PA-F-F9-762x762x69-GED-FGB-PH50	F9	ePM1 80%	762 mm	762 mm	69 mm	17,5 m ²	50 mm	5.800 m ³ /h @ 140 Pa
PA-F-F9-915x915x69-GED-FGB-PH50	F9	ePM1 80%	915 mm	915 mm	69 mm	25,4 m ²	50 mm	8.400 m ³ /h @ 140 Pa
PA-F-F9-610x1220x69-GED-FGD-PH50	F9	ePM1 80%	610 mm	1220 mm	69 mm	22,5 m ²	50 mm	7.500 m ³ /h @ 140 Pa

FINEX Panel Aluminum Filter

Aluminum Frame Height: 78 mm / Pleat Height: 50 mm								
Filter Code	EN 779	ISO 16890	Width	Height	Depth	Filtration Area	Pleat Height	Pressure Loss
PA-F-M5-305x305x78-GED-FGB-PH50	M5	ePM10 60%	305 mm	305 mm	78 mm	2,7 m ²	50 mm	900 m ³ /h @ 70 Pa
PA-F-M5-305x610x78-GED-FGB-PH50	M5	ePM10 60%	305 mm	610 mm	78 mm	5,4 m ²	50 mm	1.800 m ³ /h @ 70 Pa
PA-F-M5-457x457x78-GED-FGB-PH50	M5	ePM10 60%	457 mm	457 mm	78 mm	6,2 m ²	50 mm	2.100 m ³ /h @ 70 Pa
PA-F-M5-457x610x78-GED-FGB-PH50	M5	ePM10 60%	457 mm	610 mm	78 mm	8,3 m ²	50 mm	2.750 m ³ /h @ 70 Pa
PA-F-M5-535x535x78-GED-FGB-PH50	M5	ePM10 60%	535 mm	535 mm	78 mm	8,5 m ²	50 mm	2.800 m ³ /h @ 70 Pa
PA-F-M5-575x575x78-GED-FGB-PH50	M5	ePM10 60%	575 mm	575 mm	78 mm	9,8 m ²	50 mm	3.250 m ³ /h @ 70 Pa
PA-F-M5-610x610x78-GED-FGB-PH50	M5	ePM10 60%	610 mm	610 mm	78 mm	11,1 m ²	50 mm	3.600 m ³ /h @ 70 Pa
PA-F-M5-610x762x78-GED-FGB-PH50	M5	ePM10 60%	610 mm	762 mm	78 mm	13,9 m ²	50 mm	4.600 m ³ /h @ 70 Pa
PA-F-M5-610x915x78-GED-FGB-PH50	M5	ePM10 60%	610 mm	915 mm	78 mm	16,8 m ²	50 mm	5.600 m ³ /h @ 70 Pa
PA-F-M5-762x762x78-GED-FGB-PH50	M5	ePM10 60%	762 mm	762 mm	78 mm	17,5 m ²	50 mm	5.800 m ³ /h @ 70 Pa
PA-F-M5-915x915x78-GED-FGB-PH50	M5	ePM10 60%	915 mm	915 mm	78 mm	25,4 m ²	50 mm	8.400 m ³ /h @ 70 Pa
PA-F-M5-610x1220x78-GED-FGB-PH50	M5	ePM10 60%	610 mm	1220 mm	78 mm	22,5 m ²	50 mm	7.500 m ³ /h @ 70 Pa
PA-F-F7-305x305x78-GED-FGB-PH50	F7	ePM1 55%	305 mm	305 mm	78 mm	2,7 m ²	50 mm	900 m ³ /h @ 90 Pa
PA-F-F7-305x610x78-GED-FGB-PH50	F7	ePM1 55%	305 mm	610 mm	78 mm	5,4 m ²	50 mm	1.800 m ³ /h @ 90 Pa
PA-F-F7-457x457x78-GED-FGB-PH50	F7	ePM1 55%	457 mm	457 mm	78 mm	6,2 m ²	50 mm	2.100 m ³ /h @ 90 Pa
PA-F-F7-457x610x78-GED-FGB-PH50	F7	ePM1 55%	457 mm	610 mm	78 mm	8,3 m ²	50 mm	2.750 m ³ /h @ 90 Pa
PA-F-F7-535x535x78-GED-FGB-PH50	F7	ePM1 55%	535 mm	535 mm	78 mm	8,5 m ²	50 mm	2.800 m ³ /h @ 90 Pa
PA-F-F7-575x575x78-GED-FGB-PH50	F7	ePM1 55%	575 mm	575 mm	78 mm	9,8 m ²	50 mm	3.250 m ³ /h @ 90 Pa
PA-F-F7-610x610x78-GED-FGB-PH50	F7	ePM1 55%	610 mm	610 mm	78 mm	11,1 m ²	50 mm	3.600 m ³ /h @ 90 Pa
PA-F-F7-610x762x78-GED-FGB-PH50	F7	ePM1 55%	610 mm	762 mm	78 mm	13,9 m ²	50 mm	4.600 m ³ /h @ 90 Pa
PA-F-F7-610x915x78-GED-FGB-PH50	F7	ePM1 55%	610 mm	915 mm	78 mm	16,8 m ²	50 mm	5.600 m ³ /h @ 90 Pa
PA-F-F7-762x762x78-GED-FGB-PH50	F7	ePM1 55%	762 mm	762 mm	78 mm	17,5 m ²	50 mm	5.800 m ³ /h @ 90 Pa
PA-F-F7-915x915x78-GED-FGB-PH50	F7	ePM1 55%	915 mm	915 mm	78 mm	25,4 m ²	50 mm	8.400 m ³ /h @ 90 Pa
PA-F-F7-610x1220x78-GED-FGB-PH50	F7	ePM1 55%	610 mm	1220 mm	78 mm	22,5 m ²	50 mm	7.500 m ³ /h @ 90 Pa
PA-F-F9-305x305x78-GED-FGD-PH50	F9	ePM1 80%	305 mm	305 mm	78 mm	2,7 m ²	50 mm	900 m ³ /h @ 140 Pa
PA-F-F9-305x610x78-GED-FGD-PH50	F9	ePM1 80%	305 mm	610 mm	78 mm	5,4 m ²	50 mm	1.800 m ³ /h @ 140 Pa
PA-F-F9-457x457x78-GED-FGD-PH50	F9	ePM1 80%	457 mm	457 mm	78 mm	6,2 m ²	50 mm	2.100 m ³ /h @ 140 Pa
PA-F-F9-457x610x78-GED-FGD-PH50	F9	ePM1 80%	457 mm	610 mm	78 mm	8,3 m ²	50 mm	2.750 m ³ /h @ 140 Pa
PA-F-F9-535x535x78-GED-FGD-PH50	F9	ePM1 80%	535 mm	535 mm	78 mm	8,5 m ²	50 mm	2.800 m ³ /h @ 140 Pa
PA-F-F9-575x575x78-GED-FGD-PH50	F9	ePM1 80%	575 mm	575 mm	78 mm	9,8 m ²	50 mm	3.250 m ³ /h @ 140 Pa
PA-F-F9-610x610x78-GED-FGD-PH50	F9	ePM1 80%	610 mm	610 mm	78 mm	11,1 m ²	50 mm	3.600 m ³ /h @ 140 Pa
PA-F-F9-610x762x78-GED-FGD-PH50	F9	ePM1 80%	610 mm	762 mm	78 mm	13,9 m ²	50 mm	4.600 m ³ /h @ 140 Pa
PA-F-F9-762x762x69-GED-FGB-PH50	F9	ePM1 80%	762 mm	762 mm	78 mm	17,5 m ²	50 mm	5.600 m ³ /h @ 140 Pa
PA-F-F9-610x915x78-GED-FGD-PH50	F9	ePM1 80%	610 mm	915 mm	78 mm	16,8 m ²	50 mm	5.800 m ³ /h @ 140 Pa
PA-F-F9-915x915x78-GED-FGB-PH50	F9	ePM1 80%	915 mm	915 mm	78 mm	25,4 m ²	50 mm	8.400 m ³ /h @ 140 Pa
PA-F-F9-610x1220x78-GED-FGD-PH50	F9	ePM1 80%	610 mm	1220 mm	78 mm	22,5 m ²	50 mm	7.500 m ³ /h @ 140 Pa

FINEX Panel Aluminum Filter

Aluminum Frame Height: 150 mm / Pleat Height: 50 mm

Filter Code	EN 779	ISO 16890	Width	Height	Depth	Filtration Area	Pleat Height	Pressure Loss
PA-F-H13-305x305x150-GED-FGB-PH50	M5	ePM10 60%	305 mm	305 mm	150 mm	2,7 m ²	50 mm	900 m ³ /h @ 70 Pa
PA-F-H13-305x610x150-GED-FGB-PH50	M5	ePM10 60%	305 mm	610 mm	150 mm	5,4 m ²	50 mm	1.800 m ³ /h @ 70 Pa
PA-F-H13-457x457x150-GED-FGB-PH50	M5	ePM10 60%	457 mm	457 mm	150 mm	6,2 m ²	50 mm	2.100 m ³ /h @ 70 Pa
PA-F-H13-610x610x150-GED-FGB-PH50	M5	ePM10 60%	610 mm	610 mm	150 mm	11,1 m ²	50 mm	3.600 m ³ /h @ 70 Pa
PA-F-H13-610x762x150-GED-FGB-PH50	M5	ePM10 60%	610 mm	762 mm	150 mm	13,9 m ²	50 mm	4.600 m ³ /h @ 70 Pa
PA-F-H13-610x915x150-GED-FGB-PH50	M5	ePM10 60%	610 mm	915 mm	150 mm	16,8 m ²	50 mm	5.600 m ³ /h @ 70 Pa
PA-F-H13-610x1220x150-GED-FGB-PH50	M5	ePM10 60%	610 mm	1220 mm	150 mm	22,5 m ²	50 mm	7.500 m ³ /h @ 70 Pa
PA-F-H14-305x305x150-GED-FGB-PH50	F7	ePM1 55%	305 mm	305 mm	150 mm	2,7 m ²	50 mm	900 m ³ /h @ 90 Pa
PA-F-H14-305x610x150-GED-FGB-PH50	F7	ePM1 55%	305 mm	610 mm	150 mm	5,4 m ²	50 mm	1.800 m ³ /h @ 90 Pa
PA-F-H14-457x457x150-GED-FGB-PH50	F7	ePM1 55%	457 mm	457 mm	150 mm	6,2 m ²	50 mm	2.100 m ³ /h @ 90 Pa
PA-F-H14-610x610x150-GED-FGB-PH50	F7	ePM1 55%	610 mm	610 mm	150 mm	11,1 m ²	50 mm	3.600 m ³ /h @ 90 Pa
PA-F-H14-610x762x150-GED-FGB-PH50	F7	ePM1 55%	610 mm	762 mm	150 mm	13,9 m ²	50 mm	4.600 m ³ /h @ 90 Pa
PA-F-H14-610x915x150-GED-FGB-PH50	F7	ePM1 55%	610 mm	915 mm	150 mm	16,8 m ²	50 mm	5.600 m ³ /h @ 90 Pa
PA-F-H14-610x1220x150-GED-FGB-PH50	F7	ePM1 55%	610 mm	1220 mm	150 mm	22,5 m ²	50 mm	7.500 m ³ /h @ 90 Pa
PA-F-H14-305x305x150-GED-FGB-PH50	F9	ePM1 80%	305 mm	305 mm	150 mm	2,7 m ²	50 mm	900 m ³ /h @ 140 Pa
PA-F-H14-305x610x150-GED-FGB-PH50	F9	ePM1 80%	305 mm	610 mm	150 mm	5,4 m ²	50 mm	1.800 m ³ /h @ 140 Pa
PA-F-H14-457x457x150-GED-FGB-PH50	F9	ePM1 80%	457 mm	457 mm	150 mm	6,2 m ²	50 mm	2.100 m ³ /h @ 140 Pa
PA-F-H14-610x610x150-GED-FGB-PH50	F9	ePM1 80%	610 mm	610 mm	150 mm	11,1 m ²	50 mm	3.600 m ³ /h @ 140 Pa
PA-F-H14-610x762x150-GED-FGB-PH50	F9	ePM1 80%	610 mm	762 mm	150 mm	13,9 m ²	50 mm	4.600 m ³ /h @ 140 Pa
PA-F-H14-610x915x150-GED-FGB-PH50	F9	ePM1 80%	610 mm	915 mm	150 mm	16,8 m ²	50 mm	5.600 m ³ /h @ 140 Pa
PA-F-H14-610x1220x150-GED-FGB-PH50	F9	ePM1 80%	610 mm	1220 mm	150 mm	22,5 m ²	50 mm	7.500 m ³ /h @ 140 Pa

FINEX Panel Aluminum Filter

Aluminum Frame Height: 150 mm / Pleat Height: 125 mm

Filter Code	EN 779	ISO 16890	Width	Height	Depth	Filtration Area	Pleat Height	Pressure Loss
PA-F-M5-305x305x150-GED-FGB-PH125	M5	ePM10 60%	305 mm	305 mm	150 mm	6,6 m ²	125 mm	1.000 m ³ /h @ 80 Pa
PA-F-M5-305x610x150-GED-FGB-PH125	M5	ePM10 60%	305 mm	610 mm	150 mm	13,5 m ²	125 mm	2.000 m ³ /h @ 80 Pa
PA-F-M5-457x457x150-GED-FGB-PH125	M5	ePM10 60%	457 mm	457 mm	150 mm	15,3 m ²	125 mm	2.300 m ³ /h @ 80 Pa
PA-F-M5-610x610x150-GED-FGB-PH125	M5	ePM10 60%	610 mm	610 mm	150 mm	27,7 m ²	125 mm	4.150 m ³ /h @ 80 Pa
PA-F-M5-610x762x150-GED-FGB-PH125	M5	ePM10 60%	610 mm	762 mm	150 mm	34,8 m ²	125 mm	5.250 m ³ /h @ 80 Pa
PA-F-M5-610x915x150-GED-FGB-PH125	M5	ePM10 60%	610 mm	915 mm	150 mm	41,9 m ²	125 mm	6.250 m ³ /h @ 80 Pa
PA-F-M5-610x1220x150-GED-FGB-PH125	M5	ePM10 60%	610 mm	1220 mm	150 mm	56,1 m ²	125 mm	8.500 m ³ /h @ 80 Pa
PA-F-F7-305x305x150-GED-FGB-PH125	F7	ePM1 55%	305 mm	305 mm	150 mm	6,6 m ²	125 mm	1.000 m ³ /h @ 110 Pa
PA-F-F7-305x610x150-GED-FGB-PH125	F7	ePM1 55%	305 mm	610 mm	150 mm	13,5 m ²	125 mm	2.000 m ³ /h @ 110 Pa
PA-F-F7-457x457x150-GED-FGB-PH125	F7	ePM1 55%	457 mm	457 mm	150 mm	15,3 m ²	125 mm	2.300 m ³ /h @ 110 Pa
PA-F-F7-610x610x150-GED-FGB-PH125	F7	ePM1 55%	610 mm	610 mm	150 mm	27,7 m ²	125 mm	4.150 m ³ /h @ 110 Pa
PA-F-F7-610x762x150-GED-FGB-PH125	F7	ePM1 55%	610 mm	762 mm	150 mm	34,8 m ²	125 mm	5.250 m ³ /h @ 110 Pa
PA-F-F7-610x915x150-GED-FGB-PH125	F7	ePM1 55%	610 mm	915 mm	150 mm	41,9 m ²	125 mm	6.250 m ³ /h @ 110 Pa
PA-F-F7-610x1220x150-GED-FGB-PH125	F7	ePM1 55%	610 mm	1220 mm	150 mm	56,1 m ²	125 mm	8.500 m ³ /h @ 110 Pa
PA-F-F9-305x305x150-GED-FGB-PH125	F9	ePM1 80%	305 mm	305 mm	150 mm	6,6 m ²	125 mm	1.000 m ³ /h @ 150 Pa
PA-F-F9-305x610x150-GED-FGB-PH125	F9	ePM1 80%	305 mm	610 mm	150 mm	13,5 m ²	125 mm	2.000 m ³ /h @ 150 Pa
PA-F-F9-457x457x150-GED-FGB-PH125	F9	ePM1 80%	457 mm	457 mm	150 mm	15,3 m ²	125 mm	2.300 m ³ /h @ 150 Pa
PA-F-F9-610x610x150-GED-FGB-PH125	F9	ePM1 80%	610 mm	610 mm	150 mm	27,7 m ²	125 mm	4.150 m ³ /h @ 150 Pa
PA-F-F9-610x762x150-GED-FGB-PH125	F9	ePM1 80%	610 mm	762 mm	150 mm	34,8 m ²	125 mm	5.250 m ³ /h @ 150 Pa
PA-F-F9-610x915x150-GED-FGB-PH125	F9	ePM1 80%	610 mm	915 mm	150 mm	41,9 m ²	125 mm	6.250 m ³ /h @ 150 Pa
PA-F-F9-610x1220x150-GED-FGB-PH125	F9	ePM1 80%	610 mm	1220 mm	150 mm	56,1 m ²	125 mm	8.500 m ³ /h @ 150 Pa